



DETAIL G - NOVÝ PROSTUP



DETAIL H - STÁVAJÍCÍ PROSTUP



POZNÁMKA:
Details are drawn in connection with the construction S04. In the case of a different construction (e.g. fire protection strips) the penetration repair will be carried out analogously according to the principles of these details. At realization the existing state of existing penetrations will be verified. If during the execution a suitable state of the pipe is found, it can be left after agreement with the general contractor.

Pozn. 1:
It is necessary to carry out the verification of the tightness of existing penetrations at the level of the bottom layer of the roof. If necessary, carry out the sealing with PUR foam and repair the surface.

ATELIER DEK		Realizace úspor energie - MŠ U Stadionu 602, Česká Třebová U Stadionu 602, 560 02 Česká Třebová	
projektant: DEKPROJEKT s. r. o. Tiskařská 10/257, 108 00 tel: 234 054 284 fax: 234 054 291		objednatel: Město Česká Třebová Staré náměstí 78 560 02, Česká Třebová	
stupeň dokumentace: Projektová dokumentace pro provedení stavby		část dokumentace: D.1.1. Architektonicko-stavební řešení	obsah výkresu: Detail G - nový prostup, H - stávající prostup
vypracoval: Ing. Ondřej Nečas		zodpovědný projektant: Ing. Pavel Štajnrt	
kontroloval: Ing. Petr Schindler, Ph.D. Ing. Jan Janeček		paré:	
formát: 2x A4		datum: 27. 12. 2018	č. zakázky: 2018-023009-NO
		měřítko: 1:4	číslo výkresu: D.1.1.b) 15